

Name of Work :- Constructing Shops Cum Godown-102 No & Warehouse of A.P.M.C. Unjha Sub Market Yard Brhamanvada ar RS No 613 of Behamanvada, Ta Unjha, Dist: Mehsana

The Unit rates of controlled cement concrete items for RCC work of Mix M-15, M-20, M-25, M-30 and M-35 included in tender are taken considering cement consumption as shown below in Table-A.

TABLE – A

Sr. No.	Grade of Controlled Cement Concrete	Cement Consumption as per SOR in Kg./Cmt. as per Circular Dtd. 11-05-17	Remarks
1	M-150	290	
2	M-200	360	
3	M-250	380	
4	M-300	410	
5	M-350	425	
6	M-400	440	

The contractor has to submit the mix design for different grades of cement concrete own cost before execution as directed and to be approved from the Engineer-in-Charge. Reduction in rates particular RCC items put into the tenders by the contractor shall be given according to the cement consumption of the approved mix design of cement concrete for that item. If the cement consumption of the mix design is less than as prescribed in Table-A the recovery shall be carried out as per the input rate of cement. In any case cement consumption, more than prescribed as in Table-A shall be not paid. The condition is also applicable to the (i) excess quantity for RCC items and (ii) extra item rate lists. The condition is to be followed in addition to Clause-14.

Input Rate

Cement	6460.00 / M.T.
TMT FE-500-D Bar	60970.00 / M.T.